7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

F.No. Western/1-2453832089/2015/EOA/Corrigendum-1

Date: 22-Apr-2015

Corrigendum

To, The Secretary, Tech. & Higher Education Deptt. Govt. of Maharashta, Mantralaya, Annexe Building, Mumbai-400032

Sub: Extension of approval for the academic year 2015-16.

Ref : Application of the Institution for Extension of Approval for the Year 2015-16

EOA Issued on	F.No. Western/1-2453832089/2015/EOA	07-Apr-2015
EOA Printed on	F.No. Western/1-2453832089/2015/EOA	20-Apr-2015
Corrigendum 1	F.No. Western/1-2453832089/2015/EOA/Corrigendum-1	22-Apr-2015

Sir/Madam,

In partial modification of the letter F.No. Western/1-2453832089/2015/EOA and in terms of the provisions under the All India Council for Technical Education (Grant of Approvals for Technical Institutions) Regulations 2012 notified by the Council vide notification number F-No.37-3/Legal/2012 dated 27/09/2012 and norms standards, procedures and conditions prescribed by the Council from time to time, I am directed to convey the approval to

Regional Office	Western	Application Id	1-2453832089
		Permanent Id	1-450637101
Name of the Institute	CHHATRAPATI SHAHU MAHARAJ SHIKSHAN SANSTHA,C.S.M.S.S COLLEGE OF POLYTECHNIC	Institute Address	C.S.M.S.S COLLEGE OF POLYTECHNIC, KANCHANWADI, PAITHAN ROAD, AURANGABAD,AURANGABAD,AURANGABAD,Mah arashtra,431005
Name of the Society/Trust	CHHATRAPATI SHAHU MAHARAJ SHIKSHAN SANSTHA	Society/Trust Address	CHHATRAPATI SHAHU MAHARAJ SHIKSHAN SANSTHA, KANCHANWADI,PAITHAN ROAD,AURANGABAD.,AURANGABAD,AURANGAB AD,Maharashtra,431005
Institute Type	Unaided - Private		

Opted for change from Women to Co-ed	No	Opted for change of name	No	Opted for change of site	No	
Change from Women to Co-ed approved	Not Applicable	Change of name Approved	Not Applicable	Change of site Approved	Not Applicable	

Application Number: 1-2453832089*

NoteThis is a Computer generated Corrigendum Letter for EoA. No signature is required.

Page 1 of 4



7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

To conduct following courses with the intake indicated below for the academic year 2015-16

Application Id: 1-2453832089		Course	urse Course Full/Part Unique Id Time		Affiliating Body	for 2013-	for 2013-	for 2015-	atus	atus	ation	
Program	Shift	Level					Intake Approved for 2013- 14	Intake Approved for 15	Intake Approved for 2015- 16	NRI Approval Status	PIO Approval Status	Foreign Collaboration Approval Status
ENGINEERING AND TECHNOLOGY	1st Shift	DIPLO MA	ELECT RICAL ENGIN EERIN G	1- 13579620 95	FULL TIME	Maharashtr a State Board of Technical Education, Mumbai	120	120	120	NA	NA	NA
ENGINEERING AND TECHNOLOGY	1st Shift	DIPLO MA	COMP UTER ENGIN EERIN G	1- 13579620 98	FULL TIME	Maharashtr a State Board of Technical Education, Mumbai	60	60	60	NA	NA	NA
ENGINEERING AND TECHNOLOGY	1st Shift	DIPLO MA	ELECT RONIC S & TELE- COMM UNICA TION ENGIN EERIN G	1- 13579621 00	FULL TIME	Maharashtr a State Board of Technical Education, Mumbai	120	120	60	NA	NA	NA
ENGINEERING AND TECHNOLOGY	1st Shift	DIPLO MA	CIVIL ENGIN EERIN G	1- 13579621 02	FULL TIME	Maharashtr a State Board of Technical Education, Mumbai	120	120	120	NA	NA	NA

Application Number: 1-2453832089*

NoteThis is a Computer generated Corrigendum Letter for EoA. No signature is required.

Page 2 of 4



7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

Application Id: 1-24 Program	538320	39 Level	Course	Course Unique Id	Full/Part Time	Affiliating Body	Intake Approved for 2013- 14	Intake Approved for 2014- 15	Intake Approved for 2015- 16	NRI Approval Status	PIO Approval Status	Foreign Collaboration Approval Status
ENGINEERING AND TECHNOLOGY	1st Shift	DIPLO MA	MECH ANICA L ENGIN EERIN G	1- 13579621 04	FULL TIME	Maharashtr a State Board of Technical Education, Mumbai	180	240	240	NA	NA	NA

• Validity of the course details may be verified at www.aicte-india.org>departments>approvals

The above mentioned approval is subject to the condition that CHHATRAPATI SHAHU MAHARAJ SHIKSHAN SANSTHA,C.S.M.S.S. COLLEGE OF POLYTECHNIC shall follow and adhere to the Regulations, guidelines and directions issued by AICTE from time to time and the undertaking / affidavit given by the institution along with the application submitted by the institution on portal.

In case of any differences in content in this Computer generated Extension of Approval Letter, the content/information as approved by the Executive Council / General Council as available on the record of AICTE shall be final and binding.

Strict compliance of Anti-Ragging Regulation:- Approval is subject to strict compliance of provisions made in AICTE Regulation notified vide F. No. 37-3/Legal/AICTE/2009 dated July 1, 2009 for Prevention and Prohibition of Ragging in Technical Institutions. In case Institution fails to take adequate steps to Prevent Ragging or fails to act in accordance with AICTE Regulation or fails to punish perpetrators or incidents of Ragging, it will be liable to take any action as defined under clause 9(4) of the said Regulation.

Dr. Avinash S Pant Actg. Chairman, AICTE

Copy to:

1. The Regional Officer, All India Council for Technical Education Industrial Assurance Building 2nd Floor, Nariman Road

Application Number: 1-2453832089*

NoteThis is a Computer generated Corrigendum Letter for EoA. No signature is required.

Letter Printed On:23 April 2015.

Page 3 of 4



7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

Mumbai - 400 020, Maharashtra

- 2. The Director Of Technical Education, Maharashtra
- 3. The Principal / Director, CHHATRAPATI SHAHU MAHARAJ SHIKSHAN SANSTHA,C.S.M.S.S COLLEGE OF POLYTECHNIC C.S.M.S.S COLLEGE OF POLYTECHNIC, KANCHANWADI, PAITHAN ROAD, AURANGABAD, AURANGABAD,AURANGABAD, Maharashtra,431005
- 4. The Secretary / Chairman, CHHATRAPATI SHAHU MAHARAJ SHIKSHAN SANSTHA CHHATRAPATI SHAHU MAHARAJ SHIKSHAN SANSTHA, KANCHANWADI,PAITHAN ROAD,AURANGABAD., AURANGABAD,AURANGABAD, Maharashtra,431005
- 5. Guard File(AICTE)

Application Number: 1-2453832089*

NoteThis is a Computer generated Corrigendum Letter for EoA. No signature is required.

Page 4 of 4